

Brightside Scientific Inc 3027 South Street Ste A Long Beach, CA 90805

(844) 420-5227 http://www.brightsidesci.com Lic# C8-000038-LIC

QA Testing

1 of 1

RinWell Mellow CHOCO SSCARAMEL

Sample ID: 2209BSD0397.1249 Strain: CHOCO SSCARAMEL Matrix: Ingestible Type: Chocolate Sample Size: 38 g; Batch:

Produced: Collected: 09/02/2022 Received: 09/02/2022 Completed: 09/14/2022 Batch#:

Client

Test

Batch

CAL CBD / Connoisseur Concepts LLC Lic. # 15-200024G 560 W. Main Street Alhambra, CA 91801

Flava inc.

3-20-2 Tamagawa, Setagaya-ku, Tokyo-to 158-0094 Japan

Summary

Cannabinoids

09/03/2022

Date Tested

Result Complete Complete



Cannabinoids by HPLC-UV


Complete

ND		55.21 mg/unit	C	.00 mg/unit	78.14 mg/unit
Total THC		Total CBD		Total CBG	Overall Cannabinoids
Analyte	LOQ	LOD	Result	Result	
	mg/g	mg/g	mg/g	%	
THCa	0.0025000	0.001000	ND	ND	
∆9-THC	0.0025000	0.001000	ND	ND	
∆8-THC	0.0025000	0.001000	ND	ND	
THCV	0.0025000	0.001000	ND	ND	
CBDa	0.0025000	0.001000	ND	ND	
CBD	0.0025000	0.001000	1.35	0.135	
CBDV	0.0025000	0.001000	ND	ND	
CBN	0.0025000	0.001000	0.56	0.056	
CBGa	0.0025000	0.001000	ND	ND	
CBG	0.0025000	0.001000	ND	ND	
CBC	0.0025000	0.001000	ND	ND	
Total THC			ND	ND	
Total CBD			1.35	0.13	
Total CBG			0.00	0.00	
Total			1.91	0.19	

Date Tested: 09/03/2022

SOP ID: 3110; Instrumentation: Shimadzu Prominence LC-2030C Plus Total THC = THCa * $0.877 + \Delta 9$ -THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG

LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.